according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 410

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Grease

Substance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

82216 Maisach-Gernlinden

Deutschland

Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

responsible for the SDS

mcm@oks-germany.com

National contact

1.4 Emergency telephone number

Emergency telephone

number

: +49 8142 3051 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard,

Category 3

H412: Harmful to aquatic life with long lasting

effects.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting

effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : lithium soap

Mineral oil.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Date of last issue: 17.07.2023 Print Date: **Revision Date:** 02.10.2025 Date of first issue: 11.06.2016 17.12.2025 3.2

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
zinc bis[O,O-bis(2- ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5 01-2119493635-27- XXXX	Eye Dam.1; H318 Aquatic Chronic2; H411	> 50 % Eye Dam.1, H318	>= 3 - < 10
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1 01-2119491299-23- XXXX	Repr.2; H361f		>= 0,1 - < 1
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7 01-2119978241-36- XXXX	Skin Sens.1B; H317	> 10 - 100 % Skin Sens.1B, H317	>= 0,1 - < 1
Substances with a work	xplace exposure limit :	1	I	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 30 - < 50
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	64742-57-0 265-160-8 649-470-00-4 01-2119489287-22- XXXX	Not classified	Note L	>= 20 - < 30



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

VersionRevision Date:Date of last issue: 17.07.2023Print Date:3.202.10.2025Date of first issue: 11.06.201617.12.2025

Distillates (petroleum),		Not classified		>= 20 - < 30
hydrotreated heavy	265-155-0			
naphthenic; Baseoil —			Note L	
unspecified	649-465-00-7			
·	01-2119467170-45-			
	XXXX			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Obtain medical attention.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Seek medical advice.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Obtain medical attention. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : Causes serious eye irritation.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion

products

: Carbon oxides Sulphur oxides

Oxides of phosphorus

Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Ensure adequate ventilation. Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE $\,$



OKS 410

VersionRevision Date:Date of last issue: 17.07.2023Print Date:3.202.10.2025Date of first issue: 11.06.201617.12.2025

		of exposure)		
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900 (2018-06-07)
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)	
			compliance with the OEL ar of harming the unborn child	nd biological
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	64742-57-0	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900 (2018-06-07)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900 (2018-06-07)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Residual oils (petroleum), hydrotreated; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,7 mg/m3
	Workers	Inhalation	Acute systemic effects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
Distillates (petroleum), hydrotreated heavy	Workers	Inhalation	Long-term local effects	5,58 mg/m3



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE $\,$



OKS 410

VersionRevision Date:Date of last issue: 17.07.2023Print Date:3.202.10.2025Date of first issue: 11.06.201617.12.2025

naphthenic; Baseoil — unspecified				
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
zinc bis[O,O-bis(2- ethylhexyl)] bis(dithiophosphate)	Workers	Inhalation	Long-term systemic effects	6,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	9,6 mg/m3
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,31 mg/m3
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
	Workers	Dermal	Long-term systemic effects	25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy naphthenic;		
Baseoil — unspecified		
zinc bis[O,O-bis(2-ethylhexyl)]	Fresh water	0,004 mg/l
bis(dithiophosphate)		
	Marine water	0,0046 mg/l
	Sewage treatment plant	3,8 mg/l
	Fresh water sediment	0,322 mg/l
	Marine sediment	0,032 mg/l
	Soil	0,062 mg/l
Benzenamine, N-phenyl-,	Fresh water	0,034 mg/l
reaction products with 2,4,4-		
trimethylpentene		
	Marine water	0,003 mg/l
	Fresh water sediment	0,446 mg/kg
	Marine sediment	0,045 mg/kg
	Soil	1,76 mg/kg
	Sewage treatment plant	10 mg/l
	Intermittent use/release	0,51 mg/l
Benzenesulfonic acid, di-C10-14-	Fresh water	0,1 mg/l
alkyl derivs., calcium salts		
	Marine water	0,1 mg/l



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

Fresh water sediment	45211 mg/kg
Marine sediment	45211 mg/kg
Microbiological Activity in Sewage Treatment Systems	1000 mg/l
Soil	36739 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Environmental exposure controls

Air :

Should not be released into the environment.

Soil :

Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water

courses or the soil.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

Water

Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : black

Odour : characteristic

Odour Threshold : No data available

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,92 (20 °C)

Reference substance: Water The value is calculated

Density : 0,92 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Acute oral toxicity : LD50 (Rat, male): 3.100 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute dermal toxicity : LD50 (Rabbit, male): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: no

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l

Exposure time: 4 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

${\bf Distillates\ (petroleum),\ hydrotreated\ heavy\ naphthenic;\ Baseoil\ --unspecified:}$

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

Product:

Remarks : This information is not available.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Species : Rabbit

Assessment : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Result : Risk of serious damage to eyes.

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No skin irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate):

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Result : Probability or evidence of low to moderate skin sensitisation

rate in humans

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation. Result : Does not cause respiratory sensitisation.

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity-

Tests on bacterial or mammalian cell cultures did not show

Assessment mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

Carcinogenicity -

Assessment

Not classifiable as a human carcinogen.

Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Carcinogenicity -

: Not classifiable as a human carcinogen.

Assessment

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Carcinogenicity - : Not classifiable as a human carcinogen.

Assessment

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Effects on fertility : Remarks: No data available

Effects on foetal

development

: Remarks: No data available

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity - : - Fertility -

Assessment Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Reproductive toxicity - : - Fertility -

Assessment No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Reproductive toxicity - : - Fertility -

Assessment No toxicity to reproduction

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Effects on foetal : Species: Rat

development Application Route: Dermal

General Toxicity Maternal: LOAEL: 125 mg/kg body weight Teratogenicity: NOAEL: >= 2.000 mg/kg body weight

Developmental Toxicity: NOAEL: >= 2.000 mg/kg body weight Embryo-foetal toxicity: NOAEL: >= 2.000 mg/kg body weight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

Method: OECD Test Guideline 414

Result: No effects on fertility and early embryonic

development were detected.

Reproductive toxicity -

Assessment

- Fertility -

No toxicity to reproduction

- Teratogenicity -

No toxicity to reproduction

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

This information is not available.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Date of last issue: 17.07.2023 Version **Revision Date:** Print Date: 02.10.2025 17.12.2025 3.2 Date of first issue: 11.06.2016

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

No aspiration toxicity classification

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

No aspiration toxicity classification

Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

No aspiration toxicity classification

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks Information given is based on data on the components and

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

Toxicity to algae/aquatic

plants

: Remarks: No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

Toxicity to microorganisms

Remarks: No data available

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 75 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 240 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: ves

Toxicity to microorganisms : EC50 (Pseudomonas putida): 380 mg/l

Exposure time: 16 h Test Type: static test

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: > 0,8 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

GLP: ves

Remarks: Information given is based on data obtained from

similar substances.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

EL10: 1,69 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOELR (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

GLP: yes

Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h Test Type: Immobilization

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

LC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

NOELR: >= 1.000 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Remarks: The value is calculated

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOELR: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: Reproduction Test Method: OECD Test Guideline 211

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability

: Remarks: No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: < 5 % Exposure time: 27 d

Method: OECD Test Guideline 301D

GLP: no

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 8 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Residual oils (petroleum), hydrotreated; Baseoil — unspecified:

Biodegradability : Result: Not rapidly biodegradable

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Partition coefficient: n- : log Pow: 3,59 (22 °C)

octanol/water pH: 5

Method: OECD Test Guideline 107

GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 42 d

Bioconcentration factor (BCF): 1.730

Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Partition coefficient: n-

octanol/water

log Pow: 5,2 - 10,82

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 70,8

Partition coefficient: n-

octanol/water

log Pow: 6,91 (20 °C)

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Partition coefficient: n-

octanol/water

: log Pow: 10,16 - 24,9

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among : Remarks: No data available

environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

0.1% or higher.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Assessment : Non-classified PBT substance. Non-classified vPvB substance

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12*, spent waxes and fats

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Date of last issue: 17.07.2023 Version **Revision Date:** Print Date: 02.10.2025 17.12.2025 3.2 Date of first issue: 11.06.2016

RID Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good IATA (Passenger) Not regulated as a dangerous good

14.5 Environmental hazards

ADN Not regulated as a dangerous good **ADR** Not regulated as a dangerous good RID Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 75: If you intend to use this product as tattoo ink, please

contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

Regulation (EU) No 2024/590 on substances that

deplete the ozone layer

(EC 2024/590)

Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

(EU POP)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and

Not applicable



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

import of dangerous chemicals

(EU PIC)

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

(EU. REACH-Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of

explosives precursors

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class

(Germany)

WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:

others: 10,43 %

5.2.5: Organic Substances:

Class 1: 86,12 %

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and

livestock rearing emissions (integrated pollution prevention and

control)

Not applicable

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

Version Revision Date: Date of last issue: 17.07.2023 Print Date: 3.2 02.10.2025 Date of first issue: 11.06.2016 17.12.2025

H361f : Suspected of damaging fertility.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless

it can be shown that the substance contains less than 3 % of

dimethyl sulphoxide extract as measured by IP 346

("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in

accordance with Title II of this Regulation shall be performed

also for that hazard class.

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 410

 Version
 Revision Date:
 Date of last issue: 17.07.2023
 Print Date: 17.12.2025

 3.2
 02.10.2025
 Date of first issue: 11.06.2016
 17.12.2025

High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 Calculation method Aquatic Chronic 3 H412 Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

