according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 536

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Lubricant

Substance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

82216 Maisach-Gernlinden

Deutschland

Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

responsible for the SDS

mcm@oks-germany.com

National contact

1.4 Emergency telephone number

Emergency telephone

: +49 8142 3051 517

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

number

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Hazard pictograms :

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P272 Contaminated work clothing should not be

allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

#### Hazardous components which must be listed on the label:

2-methylisothiazol-3(2H)-one

1,2-benzisothiazol-3(2H)-one

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Chemical nature : Aqueous solution



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

VersionRevision Date:Date of last issue: 22.08.2024Print Date:2.404.03.2025Date of first issue: 09.07.201603.12.2025

graphite inorganic binding agent

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
dodecylguanidine monohydrochloride	13590-97-1 237-030-0	Acute Tox.4; H302 Acute Tox.2; H330 Skin Corr.1B; H314 Eye Dam.1; H318 Aquatic Acute1; H400		>= 0,0025 - < 0,025
2-methylisothiazol- 3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50- XXXX	Acute Tox.3; H301 Acute Tox.2; H330 Acute Tox.3; H311 Skin Corr.1B; H314 Eye Dam.1; H318 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410; EUH071	>= 0,0015 % Skin Sens.1A, H317 M-Factor: 10/1	>= 0,0025 - < 0,025
1,2-benzisothiazol- 3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox.4; H302 Acute Tox.2; H330 Skin Irrit.2; H315 Eye Dam.1; H318 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	>= 0,036 % Skin Sens.1A, H317 M-Factor: 1/1	>= 0,0025 - < 0,025
Substances with a world	kolace exposure limit :		ATE (Oral): 450 mg/kg; ATE (Inhalation): 0,21 mg/l;	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Graphite (synthetic)	7782-42-5 231-955-3 01-2119486977-12- XXXX	Not classified	>= 20 - < 30
2,2',2"-nitrilotriethanol	102-71-6 203-049-8 01-2119486482-31- XXXX	Not classified	>= 1 - < 10
Polyethylene glycol #1200	25322-68-3 500-038-2	Not classified	>= 1 - < 10

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion : Carbon oxides

products Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment.

Ensure adequate ventilation.

Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

courses.

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues.

Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Protect from frost.

Storage class (TRGS 510) : 12, Non Combustible Liquids



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

VersionRevision Date:Date of last issue: 22.08.2024Print Date:2.404.03.2025Date of first issue: 09.07.201603.12.2025

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis	
Graphite (synthetic)	7782-42-5	of exposure)  MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK (2023-07-01)	
	Further inform	Further information: Substances that cause cancer in humans or animals or			
	can be derive	that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
	value of the L	MAK (inhalable	4 mg/m3	DE DFG MAK	
		fraction)		(2023-07-01)	
	that are consi can be derive	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900 (2014-04-02)	
		Peak-limit: excursion factor (category): 2;(II)			
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900 (2014-04-02)	
	Peak-limit: ex	Peak-limit: excursion factor (category): 2;(II)			
	Further inform	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527 (2020-02-19)	
2,2',2"- nitrilotriethanol	102-71-6	MAK (inhalable fraction)	1 mg/m3	DE DFG MAK (2023-07-01)	
		Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		AGW (Inhalable fraction)	1 mg/m3	DE TRGS 900 (2018-06-07)	
		Peak-limit: excursion factor (category): 1;(I)			
	Further inform	nation: When there is	compliance with the OEL a	nd biological	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

VersionRevision Date:Date of last issue: 22.08.2024Print Date:2.404.03.2025Date of first issue: 09.07.201603.12.2025

	tolerance values, there is no risk of harming the unborn child			
Polyethylene glycol	25322-68-3	AGW (Inhalable	200 mg/m3	DE TRGS
#1200		fraction)		900
		,		(2020-03-30)
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)	
	Further inform	ation: When there is	compliance with the OEL ar	nd biological
	tolerance valu	es, there is no risk o	of harming the unborn child	
		AGW (Inhalable	1.000 mg/m3	DE TRGS
		fraction)		900
				(2008-06-01)
	Peak-limit: excursion factor (category): 8;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
		AGW (Inhalable	1.000 mg/m3	DE TRGS
		fraction)		900
				(2008-06-01)
	Peak-limit: excursion factor (category): 8;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
		MAK (inhalable	250 mg/m3	DE DFG MAK
		fraction)		(2023-07-01)
	Further information: Damage to the embryo or foetus is unlikely when the			
	MAK value or the BAT value is observed			

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Graphite (synthetic)	Workers	Inhalation	Long-term systemic effects	1,2 mg/m3
2,2',2"-nitrilotriethanol	Workers	Dermal	Long-term systemic effects	7,5 mg/kg
	Workers	Inhalation	Long-term local effects	1 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2',2"-nitrilotriethanol	Soil	0,151 mg/kg
	Microbiological Activity in Sewage	10 mg/l
	Treatment Systems	_
	Fresh water	0,32 mg/l
	Marine water	0,032 mg/l
	Fresh water sediment	1,7 mg/kg
	Marine sediment	0.17 mg/kg

#### 8.2 Exposure controls

**Engineering measures** 

none

Personal protective equipment

Eye/face protection : Safety glasses with side-shields



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Hand protection

Material : butyl-rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

**Environmental exposure controls** 

Air :

No special environmental precautions required.

Soil :

The product should not be allowed to enter drains, water

courses or the soil.

Water :

The product should not be allowed to enter drains, water

courses or the soil.

**SECTION 9: Physical and chemical properties** 

9.1 Information on basic physical and chemical properties

Physical state : liquid



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

VersionRevision Date:Date of last issue: 22.08.2024Print Date:2.404.03.2025Date of first issue: 09.07.201603.12.2025

Colour : black

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : 100 °C

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : does not flash

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 9,2 (20 °C)

Concentration: 100 %

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 105,7 mm2/s (40 °C)

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 1,1 (20 °C)

Reference substance: Water The value is calculated

Density : 1,10 g/cm3

(20 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Flammability (liquids) : Will not burn

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

## 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

**Components:** 

dodecylguanidine monohydrochloride:

Acute oral toxicity : LD50 (Rat): Assessment: The component/mixture is

moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): Test atmosphere: dust/mist

Assessment: The component/mixture is highly toxic after short

term inhalation.

2-methylisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 120 mg/kg

Method: OPPTS 870.1100

GLP: yes

Acute inhalation toxicity : LC50 (Rat): 0,11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Acute dermal toxicity : LD50 (Rat): 242 mg/kg

Method: OECD Test Guideline 402

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

LD50 (Rat): 490 mg/kg

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l

Test atmosphere: dust/mist

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Assessment: The component/mixture is highly toxic after short

term inhalation.

Acute dermal toxicity : LD50 (Rat): 4.115 mg/kg

**Graphite (synthetic):** 

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.000 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

2,2',2"-nitrilotriethanol:

Acute oral toxicity : LD50 (Rat): 6.400 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

Components:

dodecylguanidine monohydrochloride:

Assessment : Causes burns. Result : Causes burns.

2-methylisothiazol-3(2H)-one:

Species : Rabbit

Assessment : Causes burns.

Method : OECD Test Guideline 404

Result : Causes burns.

GLP : yes



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

VersionRevision Date:Date of last issue: 22.08.2024Print Date:2.404.03.2025Date of first issue: 09.07.201603.12.2025

1,2-benzisothiazol-3(2H)-one:

Assessment : Irritating to skin. Result : Irritating to skin.

**Graphite (synthetic):** 

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

2,2',2"-nitrilotriethanol:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

2-methylisothiazol-3(2H)-one:

Assessment : Risk of serious damage to eyes. Result : Risk of serious damage to eyes.

1,2-benzisothiazol-3(2H)-one:

Assessment : Risk of serious damage to eyes. Result : Risk of serious damage to eyes.

Graphite (synthetic):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

2,2',2"-nitrilotriethanol:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

### Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

Components:

2-methylisothiazol-3(2H)-one:

Test Type : Buehler Test Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1A.

Method : OECD Test Guideline 406

Result : The product is a skin sensitiser, sub-category 1A.

GLP : yes

1,2-benzisothiazol-3(2H)-one:

Assessment : The product is a skin sensitiser, sub-category 1A. Result : The product is a skin sensitiser, sub-category 1A.

Graphite (synthetic):

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

2,2',2"-nitrilotriethanol:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

2-methylisothiazol-3(2H)-one:

Germ cell mutagenicity: Tests on bacterial or mammalian cell cultures did not show

Assessment mutagenic effects.

**Graphite (synthetic):** 

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Method: OECD Test Guideline 471

Result: negative

Test Type: gene mutation test Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

2-methylisothiazol-3(2H)-one:

Carcinogenicity - Assessment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal development

Remarks: No data available

**Components:** 

2-methylisothiazol-3(2H)-one:

Reproductive toxicity - : - Fertility -

Assessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

Graphite (synthetic):

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 813 mg/kg body weight

Method: OECD Test Guideline 422

STOT - single exposure

**Product:** 



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Remarks : No data available

Components:

2-methylisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

2,2',2"-nitrilotriethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

**Product:** 

Remarks : No data available

**Components:** 

2-methylisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

2,2',2"-nitrilotriethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

**Components:** 

**Graphite (synthetic):** 

Species : Rat NOAEL : 813 mg/kg Application Route : Oral

Method : OECD Test Guideline 422

Species : Rat NOAEL : > 2 mg/l

Application Route : inhalation (dust/mist/fume)
Method : OECD Test Guideline 412



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



#### **OKS 536**

Version Date of last issue: 22.08.2024 Revision Date: Print Date: 04.03.2025 Date of first issue: 09.07.2016 03.12.2025 2.4

#### **Aspiration toxicity**

#### **Product:**

This information is not available.

#### Components:

## 2-methylisothiazol-3(2H)-one:

No aspiration toxicity classification

#### 2,2',2"-nitrilotriethanol:

No aspiration toxicity classification

#### 11.2 Information on other hazards

## **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Further information**

**Product:** 

Remarks Information given is based on data on the components and

the toxicology of similar products.

#### **Components:**

#### 2-methylisothiazol-3(2H)-one:

Remarks Ingestion causes burns of the upper digestive and respiratory

tracts.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Product:**

Toxicity to fish Remarks: No data available

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Date of last issue: 22.08.2024 Revision Date: Print Date: 03.12.2025 2.4 04.03.2025 Date of first issue: 09.07.2016

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

**Components:** 

dodecylguanidine monohydrochloride:

M-Factor (Acute aquatic

toxicity)

: 10

**Ecotoxicology Assessment** 

Acute aquatic toxicity Very toxic to aquatic life.

Chronic aquatic toxicity This product has no known ecotoxicological effects.

2-methylisothiazol-3(2H)-one:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,93 mg/l

Exposure time: 48 h

Test Type: flow-through test

Method: OECD Test Guideline 202

GLP: yes

M-Factor (Acute aquatic

toxicity)

10

10

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

NOEC: 0,044 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: flow-through test Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1

1

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3 mg/l

Exposure time: 48 h Test Type: Immobilization

> a brand of FREUDENBERG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,11

mg/l

Exposure time: 72 h

NOEC (Selenastrum capricornutum (green algae)): 0,04 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic

toxicity)

1

M-Factor (Chronic aquatic

toxicity)

1

**Graphite (synthetic):** 

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

2,2',2"-nitrilotriethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 11.800 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 609,88 mg/l

Exposure time: 48 h

Test Type: flow-through test

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 216 mg/l

Exposure time: 72 h

Test Type: static test

12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

**Components:** 

2-methylisothiazol-3(2H)-one:

Biodegradability : Result: Not readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: Not rapidly biodegradable

Graphite (synthetic):

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

2,2',2"-nitrilotriethanol:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available

**Components:** 

2-methylisothiazol-3(2H)-one:

Partition coefficient: n- : log Pow: -0,486 (25 °C)

octanol/water pH: 7

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-

octanol/water

log Pow: 0,7

2,2',2"-nitrilotriethanol:

Partition coefficient: n- : log l

octanol/water

log Pow: -2,3 (25 °C)

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among : Remarks: No data available

environmental compartments

12.5 Results of PBT and vPvB assessment

**Product:** 



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

**Components:** 

1,2-benzisothiazol-3(2H)-one:

Assessment : Non-classified vPvB substance, Non-classified PBT substance

2,2',2"-nitrilotriethanol:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

**Product:** 

Additional ecological

information

No information on ecology is available.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

VersionRevision Date:Date of last issue: 22.08.2024Print Date:2.404.03.2025Date of first issue: 09.07.201603.12.2025

Waste Code : unused product

12 01 09\*\*, machining emulsions and solutions free of

halogens

uncleaned packagings

15 01 10\*, packaging containing residues of or contaminated

by hazardous substances

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered:

Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

(EC 1005/2009)

: Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

(EU POP)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Not applicable



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

(EU PIC)

REACH - List of substances subject to authorisation

: Not applicable

(Annex XIV)

(EU. REACH-Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of : sulphuric acid (ANNEX I)

explosives precursors

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class

(Germany)

: WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:

others: 26,26 %

5.2.2: Inorganic substances in powdered form:

Not applicable

5.2.4: Inorganic substances in gaseous form:

Not applicable

5.2.5: Organic Substances:

Class 1: 8,58 %

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres: Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

Not applicable

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

organic substances:

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

VersionRevision Date:Date of last issue: 22.08.2024Print Date:2.404.03.2025Date of first issue: 09.07.201603.12.2025

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H301 : Toxic if swallowed. H302 : Harmful if swallowed. H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

EUH071 : Corrosive to the respiratory tract.

## Full text of other abbreviations

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 527 : Germany. TRGS 527 - Activities with nanomaterials

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE DFG MAK / MAK : MAK value
DE TRGS 527 / BM : Assessment scale
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

Version Revision Date: Date of last issue: 22.08.2024 Print Date: 2.4 04.03.2025 Date of first issue: 09.07.2016 03.12.2025

Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture:

Classification procedure:

Skin Sens. 1 H317 Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 536** 

 Version
 Revision Date:
 Date of last issue: 22.08.2024
 Print Date:

 2.4
 04.03.2025
 Date of first issue: 09.07.2016
 03.12.2025